

NEW FOR 2012

tough security made easy

LTO2

Easy to install. Easy to remove. Extremely secure.

The new LTO2 is the most innovative solution for securing and powering up tablets.

- Easy to apply, easy to remove – utilizes Command Strip technology
- Virtually invisible behind the merchandise
- Alarming module breaks away and stays attached to the merchandise
- Provides regulated power to power up any tablet on the market

Breakaway Alarming Module

Alarming module breaks away and stays attached to the merchandise.

Command Strip Adhesives

Easy to apply and easy to remove without damaging merchandise.




Coiled Cable

Cut-resistant, coiled steel cable provides extended stretch up to four feet.




unit dimensions

LTO940



Virtually invisible behind the merchandise when on display. Can be displayed vertically or horizontally with the LTO2 display stand.



CORPORATE OFFICE // North America // 704.752.6513 // 888.55.INVUE

EUROPEAN OFFICE // The Netherlands // +31.23.8900150

ASIAN OFFICE // Singapore // +65.6766.4844

LATIN AMERICA OFFICE // Mexico // +52.55.90003957

©2012 InVue Security Products. No endorsement of InVue products has been made by any of the manufacturers of the products shown. Product is sold pursuant to InVue's warranty which can be found at www.invuesecurity.com/english/warranty.html

www.invuesecurity.com

inVUE

ORDER CODE	DESCRIPTION	EXTERNAL DIM. (L x W x H)	CARTON QTY.	CARTON WT.
LTO940-W LTO940-B	LTO2 - White LTO2 - Black	15.5" L x 3.0" W x 1.5" H (38.3cm L x 7.6cm W x 3.8cm H)	1	0.45 lbs (0.2 kg)
EC9135-B	Tablet Secondary Sensor	6.0" L x 2.8" W x 3.0" H (15.3cm L x 7.2cm W x 7.8cm H)	1	0.15 lbs (0.06 kg)
LTO949	Wall Mount LTO2 Stand	6.0" L x 2.8" W x 3.0" H (15.3cm L x 7.2cm W x 7.8cm H)	1	0.15 lbs (0.06 kg)
LTO950	Table Mount LTO2 Stand	3.3" L x 3.0" W x 2.6" H (8.4cm L x 7.7cm W x 6.5cm H)	1	0.15 lbs (0.06 kg)
LTO951	LTO2 Info Tag	4.5" L x 4.0" W x 2.1" H (11.5cm L x 10.2cm W x 5.3cm H)	1	0.1 lbs (0.06 kg)
LTO946	LTO2 Fuse Adhesive Plate 6 pack	4.4" L x 4.4" W x 2.8" H (11.2cm L x 11.2cm W x 7.1cm H)	6	0.13 lbs (0.06 kg)
LTO947	LTO2 Module Adhesive Plate 2 pack	4.4" L x 4.4" W x 2.8" H (11.2cm L x 11.2cm W x 7.1cm H)	2	0.22 lbs (0.1 kg)
LTO953	LTO2 Removal Bit	1.8" L x 0.3" W x 0.3" H (4.6cm L x 0.6cm W x 0.6cm H)	1	0.1 lbs (0.06 kg)
PS24V	24 Volt Power Supply	5.9" L x 0.6" W x 1.0" H (150mm L x 16mm W x 25mm H)	1	0.4 oz (11.3 g)
PSACLT02	LTO2 24 Volt Auxiliary Cable	5.9" L x 0.6" W x 1.0" H (150mm L x 16mm W x 25mm H)	1	0.4 oz (11.3 g)
PSHUS	Power Head Blade – US <i>(For PSA5V, PSA18V and PS24V)</i>	5.9" L x 0.6" W x 1.0" H (150mm L x 16mm W x 25mm H)	1	0.4 oz (11.3 g)
PSHEU	Power Head Blade – EU <i>(For PSA5V, PSA18V and PS24V)</i>	5.9" L x 0.6" W x 1.0" H (150mm L x 16mm W x 25mm H)	1	0.4 oz (11.3 g)
PSHUK	Power Head Blade – UK <i>(For PSA5V, PSA18V and PS24V)</i>	5.9" L x 0.6" W x 1.0" H (150mm L x 16mm W x 25mm H)	1	0.4 oz (11.3 g)
PSHAUS	Power Head Blade – AUS <i>(For PSA5V, PSA18V and PS24V)</i>	5.9" L x 0.6" W x 1.0" H (150mm L x 16mm W x 25mm H)	1	0.4 oz (11.3 g)

Items required to create a powered display:

- ① LTO2 (listed above); ② Power Connector; ③ AUX cable (PSACLT02) + 24V Power Supply (PS24V)

For additional information, please contact your local InVue sales representative, or consult the InVue Secure Displays Product Catalog, available online at invuesecurity.com/podscatalog.

CORPORATE OFFICE // North America // 704.752.6513 // 888.55.INVUE

EUROPEAN OFFICE // The Netherlands // +31.23.8900150

ASIAN OFFICE // Singapore // +65.6766.4844

LATIN AMERICA OFFICE // Mexico // +52.55.90003957

©2012 InVue Security Products. No endorsement of InVue products has been made by any of the manufacturers of the products shown. Product is sold pursuant to InVue's warranty which can be found at www.invuesecurity.com/english/warranty.html